

SOLE AND EXCLUSIVE DISTRIBUTOR OF

FLOWTRON MOSQUITOES AND
FLYING INSECTS KILLING MACHINE
FOR INDIA



Contact No. :

Ajay: 09930425921 / 09320556018 Asif: 09619396994 / 09323167733

Kingdom of Saudi Arabia 00966565419705

www.sevesseasenterprises.com

e-mail: info@sevenseasenterprises.com

seveseas1995@gmail.com



NEW!

Electronic Insect Killer by **FLOWTRON**®

the BIG GREEN

KILLING* MACHINE

*Kills mosquitoes, biting files, midges & other annoying insect pests



model MC-9000
Recommended
for areas up to
2 acres

- ☑ Five times more luring power than other brands
- ☑ Exclusive GLOW-TUBE reflector
- ☑ High efficiency killing grid
- ☑ Tatanium dioxide coated surface

Includes one Flowtron Octenol Mosquito Attractant A scientifically testes lure proven effective for mosquitoes and biting files.

MADE IN USA









Advanced Electronic Systems for Flying Insect Control

Effective in killing a broad range of insect pests including mosquito species which can transmit West Nile virus & other infectious diseases.

Flowtron Insect Killers are best because:

- Patented, high efficiency, vertical rod killing grids are clean, safe and dependable.
- Powerful 5,600 peak volt killing grid system ensures dog-free performance.
- High intensity ultraviolet light effectively attracts a wide range of flying insect pests.
- · Green by Design; no chemical fogs, mists or sprays.
- Includes a free Flowtron Octenol Mosquito attractant cartridge; a scientifically tested lure proven effective for mosquitoes and biting flies.

- · Rugged, weatherproof construction; will not rust, crack or fade.
- · Easy to use; plugs into any ordinary household outlet.
- Economical; 24/7 protection
- Avoids the continuing expense and inconvenience of chemical insecticides.
- · Easy bulb replacement without the use of tools.
- Two year limited warranty

A model for every need

Model BK-15

Residential use up to 1/2 acre.

High intensity 15 watt white ultraviolet light. Unit dimensions: $81/2'' \times 81/2'' \times 131/2''$

Model BK-40

Residential use up to 1 acre.

High intensity 40 watt white ultraviolet light. Unit dimensions: 93/4" x 93/4" x 161/2".

Model BK-80CCN

Residential use up to 1 1/2 acre. High intensity black ultraviolet light. 40% more effective than white UV light. Additional ultraviolet LED lighting.

New *Energy saver* feature: on at dusk, off at dawn. Saves electricity and extends bulb life.

Unit dimensions: 93/4" x 93/4" x 161/2".







Patented, Non-Clogging Killing Grid
Safer, cleaner, more effective and more dependable



Flowtron's High Tech Vertical Grid Keeps clean and working reliably all season.



Other Brand's Ineffective Wire Grids Stopped working after four days due to clogging









Galaxie Vacuum Action Mosquito and Insect Control

Attracts and kills mosquitoes, flies, midgies, no-see-ums, moths and other annoying insect pests without zapping sounds.

Vacuum Action Features:

- · Multiple attractants; light, scent, shape, color and more.
- Powerful air flow draws mosquitoes and other flying insects into a concealed trap where they dehydrate and die.
- Removable trap provides fast, easy, clean disposal of dead insects.
- Includes a free Flowtron Octenol Mosquito attractant cartridge.
- · Fully assembled; plugs into any ordinary household outlet.
- · Light weight, portable; weatherproof construction.
- One year limited warranty.



Model PV-75

INDOOR/OUTDOOR Insect Control
Outdoor residential use up to 3/4 acre.
Whisper quiet performance.
Special 22 watt circular ultraviolet bulb.
Unit size:: 11" x 11" x 13 3/4"



Model PV-440

THE PREMIER MOSQUITO TRAP - Worldwide

Triple Action killing system • attract • capture • dispose.

Oscillating LED colored lighting simulates motion.

Infrared heater simulates body temperature.

Ultraviolet black light illuminates trap entrance.

Includes pole, stand and anchor pins.

Includes power converter and 30' of low voltage wiring.

Unit size:: 16"L x 13"W x 33"H

Flowtron Mosquito Power Trap; the ultimate in Mosquito & Biting Fly Control

Flowtron PowerTraps mimic humans by using propane gas to produce heat, moisture & carbon dioxide ... the most irresistible attractants to mosquitoes & biting flies.

- Engineered to take on the toughest mosquito & biting fly problem.
- Computerized operation micro-processor controls all functions.
- Mosquitoes are drawn in by a strong air flow and discharged into a no-escape collection tray.
- See-through collection tray is removable for easy, clean disposal of dead insects.
- Patented "forever-clean" pulsating valve ensures a continuous flow of propane gas.
- Octenol mosquito attractant adds scent to the carbon dioxide emission for optimum effectiveness.
- All models include power converter and 30' of low voltage wiring.



Model MT-125
Recommended for areas up to 1 acre.
LED lighting identifies operational status.
Includes propane tank stand
(tank not included)
Unit size:: 17"L x 14"W x 35"H



Model MT-275 Recommended for areas up to 1 acre. Exclusive "Set & Forget" operation in one of four time settings.

Four pulsating colored ultra bright LED's simulate motion.

Includes propane tank stand (tank not included)

Unit size:: 25"L x 17"W x 35"H

Complete Line of Accessories



Security Wall Bracket — #SB-300


Welded black steel bracket for mounting on wall, fence or other vertical surface. Locking feature helps prevent theft. 6 1/2" high with 10" extension.



Mosquito Attractant — MA-1000
Slow release cartridge contains 1660 mg of octen

Slow release cartridge contains 1660 mg of octenol attractant. Makes your insect killer more effective in attracting mosquitoes and biting files.

Mosquito Attractant Six Pack — MA-1000 – 6





Yearly bulb replacement is recommended to retain maximum black light luring power. Bulb Models: BK-15 BF-35 PV-75 BF-180

BK-40 BF-175 BK-80 BF-220 PV-440 BF-195

Security Lantern Pole — #SP-200

Rugged 1" dia. black steel tubing. Locking feature helps prevent theft. 10' long with 14" extension.









Flowtron Fly Control Systems

For all commercial, industrial, food processing facilities and agri-business applications.

The effective, economical and safe way to control flies and other unsanitary flying insect pests with minimum maintenance and without costly and hazardous chemicals.

Diplomat Series Electrocuting Type Units Features

- · Glo-Tube and Glo-Panel reflectors for added effectivity.
- Patented high efficiency, 5,600 peak volt killing grid.
- No exploding insects or air-borne contamination.
- · Indoor, wall mount units with 66" long power cords.
- · Fly attracting pheromone (fly sex lure); 2 strips included free.
- Large removable catch trays for easy cleaning.

Model FC-7600

Two high intensity 40 watt UV bulbs, total 80 watts; covers up to 1,200 sq. ft. Size: 18" x 15 1/4" x 5 1/4". Bulb type: BF-150. Power consumption: 1.5 amps.

Model FC-7800

Three high intensity 40 watt UV bulbs, total 120 watts; covers up to 2,000 sq. ft. Size: 26" x 15" x 5". Bulb type: BF-130. Power consumption: 2.4 amps.

Model FC-8800

Three high intensity 40 watt UV bulbs, total 120 watts of luring power. Indoor: wall mount & ceiling suspension, covers up to 2,000 sq. ft. Outdoor: flies and night flying insects, covers up to two acres. Size: 26" x 11 1/2" x 11 1/2". Bulb type: BF-130. Power consumption: 2.4 amps.

Silent-Capture Adhesive Board Type Units Galaxie Wall Sconces

Model FC-4400 (Beige) & Model FC-4410 (Stainless Steel)

One high intensity 40 watt UV bulb; covers up to 600 sq. ft.

Uses adhesive panel GB-440 ·

Size: 14 1/2" x 15 3/4" x 5 1/4". Bulb type: BF-150. Power consumption: 0.5 amps.

Model FC-4800 (Beige) & Model FC-4810 (Stainless Steel)

Two high intensity 40 watt UV bulbs, total 80 watts; covers up to 1,200 sq. ft.

Uses adhesive panel GB-440

Size: 14 1/2" x 15 3/4" x 5 1/4". Bulb type: BF-150. Power consumption: 1.0 amps.

Elite Stun Unit

Model FC-4700

Two high intensity 40 watt UV bulbs, total 80 watts; covers up to 1,200 sq. ft. Low voltage grid stuns flies causing them to drop onto an adhesive panel.

Uses adhesive panel GB-470

Size: 18" x 15" x 5". Bulb type: BF-150. Power consumption: 1.5 amps.

Night Guard Portable Unit

Model FC-4900

Two 15 watt UV bulbs, total 30 watts; covers up to 500 sq. ft. Multi-purpose design, use as free standing portable or may be wall mounted. Uses adhesive panel GB-490

Size: 11" x 18 1/2" x 3 1/4". Bulb type: BF-205. Power consumption 0.75 amps.

All Units are U.L. & C.S.A. certified and meet OSHA, EPA, and USDA requirements for use in food handling facilities when used as directed.





FC-7800



FC-4410



FC-4700



FC-4900








FC-8800













NEW!

model MC-9000

Recommended for areas up to

2 acres

Electronic Insect Killer
By FLOWTRON®

the BIG GREEN KILLING* MACHINE

* Kills mosquitoes, biting flies, midges & other annoying insect pests



Includes one Flowtron Octenol Mosquito Attractant

A scientifically tested lure proven effective for mosquitoes and biting flies.

MADE IN USA

- Five Times More Luring Power Than Other Brands —
 Three 40 watt UV bulbs provide total of 120 watts of high intensity ultraviolet black light.
- Exclusive GLOW-TUBE reflector —
 Re-radiates UV light and provides intense omni-directional UV radiation for maximum effectivity.
- High Efficiency Killing Grid —
 Large 255 sq. inch killing surface is four times larger than other brands.
- Titanium Dioxide Coated Surface —
 Special Tio2 coating reacts with UV light to produce carbon dioxide, the leading attraction for mosquitoes and biting flies.

PLUS

- ✓ Fully Assembled just hang and plug in.
- ✓ Easy Bulb Replacement Bulbs easily replaced through bottom of unit.
- ✓ Operates for Pennies a Day —Provides 24/7 protection from mosquitoes that may carry west nile virus, dengue fever and other infectious diseases.

the next level of MOSQUITO & BITING FLY control



















MOSQUITO POWERTRAP

Product code: MT-275A

Recommended for areas up to

1 acre

New and improved features maximize performance

· Four pulsating ultra bright LED's

- Greater dispersion of CO2 and Octenol plume
- · Patented "forever clean" pulsating valve
- · Convenient automatic restart upon a power failure

 Maximum operating efficiencies – mosquitoes become active at temperatures around 55° F (30° C) and higher. Should outside temperature reach 55° F (30° C) unit shuts off and will automatically restart when outside temperature exceeds 55° F (30° C).

Computerized operation:

- Exclusive "Set and Forget" operation
- Select from four individual time settings
- Micro-processor controls all functions

Octenol lure included:

Time release cartridge adds **Octenol** scent to the carbon dioxide emission for optimum effectiveness

Vacuum action:

Mosquitoes attracted to the PowerTrap are drawn in by the strong air flow and discharged into a removable collection tray for easy, clean disposal

auts Susan

Unlike other brands:

No open flame, no nets to empty, no sticky panels to replace

Four Operating Modes:

24/7: On 24 hours, seven days

3 hrs: On at dusk, off three hours later

3 + 2 hrs: On at dusk, off three hours later;

on again at dawn, off two hours later

4 + 3 hrs: On at dusk, off four hours later; on again at dawn, off three hours later

SPECIFICATIONS

Unit size: 25" L x 17" W x 35" H (including stand)

Electrical: UL & CSA Listed

Input: 120 volts AC, 60hz, 20 watts Output: . . . 12 volts AC, 60hz, 1.5 amps

Weight: 23 lbs.

Carton: 17" x 14.25" x 22"

Pallet pack: ... 33 units

UPC: 0-26713-40275-7

FLOWTRON Outdoor Products, 15 Highland Ave., Malden, MA 02148









FLOWTRON®

MOSQUITO POWERTRAP

Computerized operation:

- Micro-processor controls all functions
- LED lighting identifies operational status:
 - Red indicates start-up mode
 - Blue indicates operating mode

Octenol Mosquito lure included:

Time release cartridge adds Octenol scent to the carbon dioxide emission for optimum effectiveness

Vacuum action:

Mosquitoes attracted to the PowerTrap are drawn in by the strong air flow and discharged into a removable collection tray for easy, clean disposal

Patented "forever clean" pulsating valve:

Ensures a continuous flow of propane gas

Unlike other brands:

No open flame, no nets to empty, no sticky panels to replace

Plus:

- Blinking "gas empty" signal light
- Permanent, no escape collection tray never needs replacement.
- Power adapter with 30' low voltage electrical cord.

Product code: MT-125A Recommended for areas up to 1 acre



SPECIFICATIONS

Unit size: 17" L x 14" W x 35" H

.....(including stand)

Electrical:UL & CSA Listed Power Pack Input:120 volts AC, 60hz, 20 watts Output:12 volts AC, 60hz, 1.5 amps

Weight:19 lbs.

Carton:14" x 17" x 22"

Pallet pack: . . . 27 units

UPC: 0-26713-40125-5